



Alu-Mill

Beschreibung

VHM-Fräser unbeschichtet für Aluminium und NE-Metalle.

- Slotting
- Shouldering
- Rampdown
- Helix-Interpolation
- Step Gleichlaufbearbeitung
- Bohrwerk

Weitere Informationen

| | | | | | | | | | | | | | |
|--------------------|--|-----|-------|----|-------|----|-------|----|-------|-----|------|---|--------|
| Artikel Nummer | 4104301 | | | | | | | | | | | | |
| Modell | AES 2160XL UF10 | | | | | | | | | | | | |
| EAN | 8718242297783 | | | | | | | | | | | | |
| Artikelgruppe | K42 - VHM-Fräsen | | | | | | | | | | | | |
| Marke | TaeguTec | | | | | | | | | | | | |
| Eigenschaften | <table><tr><td>ød1</td><td>16 mm</td></tr><tr><td>l1</td><td>70 mm</td></tr><tr><td>l2</td><td>70 mm</td></tr><tr><td>øD</td><td>16 mm</td></tr><tr><td>FHA</td><td>45 °</td></tr><tr><td>L</td><td>125 mm</td></tr></table> | ød1 | 16 mm | l1 | 70 mm | l2 | 70 mm | øD | 16 mm | FHA | 45 ° | L | 125 mm |
| ød1 | 16 mm | | | | | | | | | | | | |
| l1 | 70 mm | | | | | | | | | | | | |
| l2 | 70 mm | | | | | | | | | | | | |
| øD | 16 mm | | | | | | | | | | | | |
| FHA | 45 ° | | | | | | | | | | | | |
| L | 125 mm | | | | | | | | | | | | |
| Artikelgruppe Code | 1162496 | | | | | | | | | | | | |

