



Hard-Mill

Beschreibung

Hochleistungs-Vollhartmetall-Schaftfräser für harte Werkstoffe

Weitere Informationen

| | | | | | | | | | | | | | | | |
|--------------------|--|-----|------|----|-------|---|-------|----|------|----|--------|-------|--------|--------|-------------------------|
| Artikel Nummer | 6127346 | | | | | | | | | | | | | | |
| Modell | HSR 2080 150 200 TT5505 | | | | | | | | | | | | | | |
| Modellgruppe | HSR 2 ... | | | | | | | | | | | | | | |
| EAN | 8718242311144 | | | | | | | | | | | | | | |
| Artikelgruppe | K42 - VHM-Fräsen | | | | | | | | | | | | | | |
| Marke | TaeguTec | | | | | | | | | | | | | | |
| Eigenschaften | <table><tr><td>ød1</td><td>8 mm</td></tr><tr><td>l1</td><td>12 mm</td></tr><tr><td>L</td><td>65 mm</td></tr><tr><td>øD</td><td>8 mm</td></tr><tr><td>RE</td><td>1.5 mm</td></tr><tr><td>Grade</td><td>TT5505</td></tr><tr><td>Modell</td><td>HSR 2080 150 200 TT5505</td></tr></table> | ød1 | 8 mm | l1 | 12 mm | L | 65 mm | øD | 8 mm | RE | 1.5 mm | Grade | TT5505 | Modell | HSR 2080 150 200 TT5505 |
| ød1 | 8 mm | | | | | | | | | | | | | | |
| l1 | 12 mm | | | | | | | | | | | | | | |
| L | 65 mm | | | | | | | | | | | | | | |
| øD | 8 mm | | | | | | | | | | | | | | |
| RE | 1.5 mm | | | | | | | | | | | | | | |
| Grade | TT5505 | | | | | | | | | | | | | | |
| Modell | HSR 2080 150 200 TT5505 | | | | | | | | | | | | | | |
| Artikelgruppe Code | 1164074 | | | | | | | | | | | | | | |

Produktbilder

