

Huvema B.V Kennedylaan 14 5466 AA Veghel Nederland info@huvema.nl Tel +31 413 34 22 75 KVK 16028008 Btw NL003107905B01



## **Battery Charger**

## Description

Multi-functional electronic battery charger, trickle charger and tester for WET, GEL, AGM, MF, PBCA, EFB, Li 12V/24V batteries with LCD display.

Charging and maintenance programs in Pulse Tronic dedicated to the technology of the selected battery. BOOST function for quick charge. Advanced function for charging and maintenance of batteries at low temperatures. Activation of the RECOVERY function enables resetting of sulphated batteries. Tests the vehicle alternator and battery. Continuous and reliable power supply source during battery changes. Simplified use and immediate display of the parameters thanks to the LCD display.

Features:

- Automatic charge and maintenance in Pulse Tronic based on the technology of the selected battery;
- BOOST function for quick charge of the batteries;
- COLD function to charge and maintain batteries at low temperatures;
- RECOVERY function to recover sulphated batteries;
- TEST function for battery, starting and alternator;
- SUPPLY function for stable power supply during battery changing;
- LCD display;
- Battery voltage selection;
- Protection against overcharge, short circuit and polarity reversal.

Fit with PFC device. Complete with cables with clamps.

## **Extra information**

Item number	T807610	
Model	PULSE 30 EVO 230V 12V/24V	
EAN	8056151814494	
Article group	Products still to be classified	
Brand	TELWIN	
	Weight	3,11 kg
Features	Mains voltage	230 V
	Absorbed power charging/start	369 W
	Load voltage/start voltage	12 / 24 V
	Charge current	27 / 15 A
	Rated charge current	25 (BOOST) A
	Rated reference capacity min/max	5 - 400 Ah
	Dimensions I x b x h	9,2 x 20 x 33 mm
Article group code	2367504	

## **Product images**



