



Welder MMA

Description

- Direct current (DC) MMA and TIG (LIFT strike) electrode inverter welding machine, 180A, with LCD display. Supplied with accessories for electrode welding and plastic case.
- Strong and raised structure against dust, water and dirt. Compact, light and easy to transport.
- With set welding current display.
- Advanced arc control devices: arc force, hot start, anti-stick. Usable electrodes: rutile, basic, stainless steel, cast iron, etc. up to 4 mm.
- Thermostatic, overvoltage, undervoltage, overcurrent protection. Compatible for use with the motor generator (230V, +/-15%). High stability of the welding current in power supply voltage variations.
- Contained consumption thanks to inverter technology.

Extra information

Item number	T816236	
Model	TECNICA 211/S 230V ACX PLASTIC C.CASE	
EAN	8056151819611	
Article group	Products still to be classified	
Brand	TELWIN	
Features	Duty cycle EN60974-1	180@20%
	Weight	5,81 kg
	Adjustment range	10 - 180 A
	Current at 60%	110 A
	Power consumption min. /max.	3,1 - 5,6 kW
	Protection degree	IP23
	Absorbed current	36 A
	Maximum ampere	180 A
	Maximum open-circuit voltage	82 V
	Efficiency / Power	86 %
	MMA electrode diameter	1,6 - 4 mm
	Dimensions l x b x h	380 x 420 x 170 mm
	Voltage	230 V
Min. power generator	8 kW	
Article group code	2466028	

Product images

