

Huvema B.V Kennedylaan 14 5466 AA Veghel Nederland info@huvema.nl Tel +31 413 34 22 75 KVK 16028008 Btw NL003107905B01



Bandsaw machine

Description

With the range of TOPLINE "semi-automatic" band saws, Huvema offers robust top-quality band saws for every workshop. Ideal if you want to saw single pieces with high accuracy and easy control: the TOPLINE bandsaws offer this and more.

The TOPLINE band saws are assembled for optimal use in precise and robust work and the machines are equipped with a sturdy frame and the sawing arm is made entirely of cast iron. In addition, these band saws are finished with very solid and precise sawing guides. These features ensure stable operation and therefore accurate sawing results.

The TOPLINE sawing machines are very user-friendly and equipped with an ergonomically and clearly arranged control panel. In addition, the machines have a built-in cooling system and the lowering speed of the arm is infinitely adjustable. The sawing brush removes chips from the saw blade and thus keeps the saw blade clean. This prevents extra wear and ensures a longer service life. Single pieces can be cut "automatically" through the use of the bag cylinder. This enables efficient working, allowing you to prepare new (sawing) work during sawing, for example, and to rework and/or clean up previously sawn work if necessary. After the cut, the machine stops automatically and the arm can be raised for the next cut. The TOPLINE band saws are equipped with a stable material clamp with a quick-release device.

In addition to all the benefits mentioned, this range of TOPLINE bandsaws is particularly favourably priced for machines in this quality class!

Features:

- Quality band saw with a heavy-duty gear drive.
- Saw blad included
- Saw blade brush
- Cylinder for automatic lowering
- Clamp with quick-release device
- Built-in cooling system
- · Hydraulic saw blade tensioning
- · Mitre saw 2 sides with preset angles
- Material stop
- Higher working height for greater ease of use
- Easy saw blade changing and hydraulic tension adjustment
- Limit switch switches switch the power off as soon as the cut is complete
- Adjustable roller guides for precise cuts
- Adjustable length stop for repetitive cuts

Extra information

| Item number | 16331 |
|---------------|------------------------|
| Model | HU 355 DV-4 Topline |
| EAN | 8718242584500 |
| Article group | HUVEMA Machines Retail |
| Brand | Huvema |

| Features | Sawing capacity 90° round | 355 mm |
|--------------------|---------------------------------|-------------------------|
| | Sawing capacity 90° rectangular | 300 x 490 mm |
| | Sawing capacity 90° square | 300 mm |
| | Sawing capacity 45° round | 350 mm |
| | Sawing capacity 45° rectangular | 290 x 340 mm |
| | Sawing capacity 45° square | 290 mm |
| | Sawing capacity 60° round | 230 mm |
| | Sawing capacity 60° rectangular | 180 x 220 mm |
| | Sawing capacity 60° square | 180 mm |
| | Cutting capacity -45° round | 290 mm |
| | Cutting capacity -45° straight | 250 x 250 mm |
| | Cutting capacity -45° square | 250 mm |
| | Saw blade dimensions | 3770 x 34 x 1.1 mm |
| | Engine power | 2.2 kW |
| | Cooling pump power | 0.1 kW |
| | Saw speed | 35 - 70 m/min |
| | Number of cutting speeds | 2 |
| | Working height | 970 mm |
| | Voltage | 400 V |
| | Weight | 395 kg |
| | Machine dimensions | 2180 x 970 x 1130 mm |
| Article group code | 2368357 | |
| | | |

Product images











