



Milling/drilling machine

Description

Universal miling/drilling machine. Supplied with cross table. Quality machine for very smooth operation. Vertical adjustment cross table possible. The gear wheels run through an oil bath; the guides can be set using keys. Z-axis can be set over dovetail guide. With precision feed. Equipped with a switch controlled protection cover, in accordance with the latest EC guidelines. Perfect for workshops and DIY.

Properties:

finefeed

head tiltable

spindle with 4 heavy duty tapered roller bearings

depth setting on spindle feed

solid column to avoid vibration

gear wheels in oil bath

left and right turning

precision setting for milling depth

with drawbar (M12)

The drill clamp must not be used for milling

Extra information

Item number	12069	
Model	HU 30 CROSS-4 NG	
EAN	8718242586030	
Article group	HUVEMA Machines Retail	
Brand	Huvema	
Features	Engine power	1,1 kW
	Vertical spindle speed	75-1600 rpm
	Table dimensions	600 x 190 mm
	Longitudinal table travel	370 x 190 mm
	Distance spindle - column	275 mm
	Spindle taper	MT 4
	Voltage	400 V
	Drilling capacity	32 mm
	Drilling depth	130 mm
	T slots number / dimensions	3/14 mm
	End milling capacity	32 mm
	Max. distance spindle table	610 mm
	Distance spindle - table	650 mm
	Capacity face milling St. 37	80 mm
	Milling head tilting	45 °
	Number of speeds of vertical spindle	12R x 12L
	Spindle travel	130 mm
Weight	350 kg	
Packaging dimensions	820 × 720 × 1830 mm	

Article group code

2543490

Product images



